

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

134P
Inf. 2

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
APRIL 1968

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

AUG 27 1968

CURRENT SERIAL RECORDS
June 3, 1968

Inspected Poultry - A total of 782,264,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during April 1968 under the Poultry Inspection Act carried on by the U.S.D.A. This was 9 percent more than the previous month and 5 percent more than April 1967.

The number of head and pounds (live weight) inspected by classes in April 1968 were young chickens, 190,954,000 head, 680,023,000 pounds; mature chickens, 13,804,000 head, 63,288,000 pounds; fryer-roaster turkeys, 747,000 head, 6,354,000 pounds; young turkeys, 1,339,000 head, 25,318,000 pounds; old turkeys, 63,000 head, 1,285,000 pounds; and ducks, 919,000 head, 5,996,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in April totaled 556,200,000 pounds ready-to-cook weight of which 476,277,000 pounds were chilled and 79,923,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 484,922,000 pounds; mature chickens, 41,043,000 pounds; fryer-roaster turkeys, 4,871,000 pounds; young turkeys, 19,977,000 pounds; old turkeys, 1,006,000 pounds; ducks, 4,284,000 pounds; and other poultry, 97,000 pounds.

Processed Poultry - Poultry inspected and used for further processed food in April totaled 82,052,000 pounds ready-to-cook weight, compared with 78,616,000 pounds in April 1967. The quantity used in April 1968 consisted of 17,612,000 pounds of young chickens, 31,840,000 pounds of mature chickens, 25,618,000 pounds of turkeys, and 6,982,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during April totaled 115,513,000 pounds ready-to-cook weight compared with 98,893,000 pounds a year earlier. The breakdown by classes for April 1968 consisted of 107,283,000 pounds of young chickens, 504,000 pounds of mature chickens, 7,640,000 pounds of turkeys, and 86,000 pounds of other poultry.

Ante-mortem condemnations amounted to 2,115,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.24 percent; mature chickens, 0.65 percent; fryer-roaster turkeys, 0.14 percent; young turkeys, 0.15 percent; old turkeys, 0.70 percent; and ducks, 0.01 percent.

Post-mortem condemnations in April amounted to 26,894,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.86 percent; mature chickens, 4.59 percent; fryer-roaster turkeys, 1.61 percent; young turkeys, 2.35 percent; old turkeys, 4.31 percent; and ducks, 0.96 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1968 WITH COMPARISONS

NUMBER INSPECTED 3/ MARCH 1968	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS	OTHER : POULTRY	TOTAL : POULTRY
APRIL 1967	179,625	11,521	191,146	954	997	37	1,988	437	---	---
APRIL 1968	182,015	14,373	196,388	1,144	1,140	111	2,395	898	---	---
JAN.-APRIL 1967	190,954	13,804	204,758	747	1,339	63	2,149	919	---	---
JAN.-APRIL 1968	723,667	59,298	782,965	4,294	5,308	306	9,908	2,010	---	---
	733,155	55,127	788,282	3,998	5,659	204	9,861	2,001	---	---
POUNDS INSPECTED 4/ MARCH 1968	633,383	51,896	685,279	8,560	18,683	780	28,023	2,779	204	716,285
APRIL 1967	637,971	67,558	705,529	10,142	19,894	2,197	32,233	5,804	341	743,907
APRIL 1968	680,023	63,288	743,311	6,354	25,318	1,285	32,957	5,996	182	782,446
JAN.-APRIL 1967	2,548,136	275,897	2,824,033	38,461	110,100	5,968	154,529	12,719	918	2,992,199
JAN.-APRIL 1968	2,599,454	246,928	2,846,382	35,532	119,100	4,068	158,700	12,729	812	3,018,623
AVERAGE LIVEWEIGHTS 5/ MARCH 1968	3.53	4.50	3.59	8.97	18.74	20.87	14.09	6.36	---	---
APRIL 1967	3.51	4.70	3.59	8.87	17.45	19.79	13.46	6.46	---	---
APRIL 1968	3.56	4.58	3.63	8.51	18.90	20.24	15.33	6.53	---	---
JAN.-APRIL 1967	3.52	4.65	3.61	8.96	20.74	19.50	15.60	6.33	---	---
JAN.-APRIL 1968	3.55	4.48	3.61	8.89	21.04	19.96	16.09	6.36	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

MARCH 1968, 1,603; APRIL 1967, 2,172; AND APRIL 1968, 2,024.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

MARCH 1968, 27; APRIL 1967, 52; AND APRIL 1968, 62.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), APRIL 1968 WITH COMPARISONS 1/

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS	OTHER : POULTRY	TOTAL : POULTRY
MARCH 1968	400,138	27,336	427,474	1,284	3,011	110	4,405	187	22	432,088
CHILLED FROZEN	48,639	6,431	55,070	5,234	11,705	499	17,438	1,816	91	74,415
TOTAL	448,777	33,767	482,544	6,518	14,716	609	21,843	2,003	113	506,503
APRIL 1967	412,884	33,786	446,670	2,305	5,070	255	7,630	103	3	454,406
CHILLED FROZEN	43,040	10,400	53,440	5,543	10,598	1,448	17,589	4,033	202	75,264
TOTAL	455,924	44,186	500,110	7,848	15,668	1,703	25,219	4,136	205	529,670
APRIL 1968	437,247	31,031	468,278	1,183	6,377	227	7,787	201	11	476,277
CHILLED FROZEN	47,675	10,012	57,687	3,688	13,600	779	18,067	4,083	86	79,923
TOTAL	484,922	41,043	525,965	4,871	19,977	1,006	25,854	4,284	97	556,200
JANUARY-APRIL 1967	1,609,905	136,366	1,746,271	7,590	22,441	395	30,426	557	14	1,777,268
CHILLED FROZEN	196,579	43,965	240,544	22,077	64,890	4,309	91,276	8,529	501	340,850
TOTAL	1,806,484	180,331	1,986,815	29,667	87,331	4,704	121,702	9,086	515	2,118,118
JANUARY-APRIL 1968	1,649,297	124,440	1,773,737	4,998	23,039	482	28,519	716	50	1,803,022
CHILLED FROZEN	197,276	36,477	233,753	22,394	71,077	2,744	96,215	8,424	387	338,779
TOTAL	1,846,573	160,917	2,007,490	27,392	94,116	3,226	124,734	9,140	437	2,141,801

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1968 WITH COMPARISONS 3/

		: YOUNG : MATURE :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
		: CHICKENS : CHICKENS :		: CHICKENS: ROASTERS: TURKEYS :		: TURKEYS: :		: TURKEYS :		: POULTRY: PCULTRY :	
ANTE-MORTEM											
1,000 POUNDS (LIVENEIGHT):											
APRIL 1967:	1,586	403	1,989	12	33	3	48	---	---	---	2,037
APRIL 1968:	1,640	416	2,056	9	40	9	58	1	---	---	2,115
JAN.-APRIL 1967:	7,420	1,629	9,049	110	208	9	327	---	---	---	9,376
JAN.-APRIL 1968:	7,634	1,743	9,377	86	299	20	405	2	1	1	9,785
PERCENT 1/											
APRIL 1967:	.25	.60	.28	.12	.17	.15	.15	.01	.08	.27	
APRIL 1968:	.24	.65	.27	.14	.15	.70	.17	.01	.19	.27	
POST-MORTEM											
1,000 LBS. (N.Y. DRESSED):											
APRIL 1967:	23,369	2,550	25,919	159	335	87	581	59	2	2	26,561
APRIL 1968:	23,563	2,600	26,163	92	536	49	677	52	2	2	26,894
JAN.-APRIL 1967:	109,446	11,031	120,477	636	2,081	172	2,889	158	6	6	123,530
JAN.-APRIL 1968:	99,329	10,628	109,957	666	3,257	130	4,053	143	9	9	114,163
PERCENT 2/											
APRIL 1967:	4.08	4.22	4.09	1.74	1.87	4.41	2.01	1.13	.65	3.98	
APRIL 1968:	3.86	4.59	3.92	1.61	2.35	4.31	2.29	.96	1.08	3.83	

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVENEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, APRIL 1968 WITH COMPARISONS 1/

		: YOUNG CHICKENS :		: MATURE CHICKENS:		: TURKEYS :		: OTHER POULTRY 2/:		: TOTAL POULTRY :	
		: FURTHER : :		: FURTHER : :		: FURTHER : :		: FURTHER : :		: FURTHER : :	
		: PROCESSED: CUT UP :		: PROCESSED: CUT UP :		: PROCESSED: CUT UP :		: PROCESSED: CUT UP :		: PROCESSED: CUT UP :	
POUNDS USED READY-TO-COOK WEIGHT 3/											
MARCH 1968 :	17,732	99,131	33,080	532	26,017	9,090	6,645	371	83,474	109,124	
APRIL 1967 :	16,063	91,345	29,684	764	21,828	6,713	11,041	71	78,616	98,893	
APRIL 1968 :	17,612	107,283	31,840	504	25,618	7,640	6,982	86	82,052	115,513	
JANUARY-APRIL 1967 :	63,499	383,036	120,940	2,779	100,966	26,819	29,566	285	314,971	412,919	
JANUARY-APRIL 1968 :	100,379	458,174	131,320	3,481	104,794	34,408	26,846	658	363,339	497,321	
LBS. CONDEMNED READY-TO-COOK WEIGHT 3/:											
MARCH 1968 :	44	695	37	---	12	---	24	---	117	706	
APRIL 1967 :	66	325	24	---	34	---	19	---	143	355	
APRIL 1968 :	49	819	99	---	18	---	70	---	236	863	
JANUARY-APRIL 1967 :	201	1,024	68	---	72	---	88	---	429	1,114	
JANUARY-APRIL 1968 :	237	3,022	257	---	67	---	201	---	762	4,125	

1/ POUNDS OF WHOLE CARCASS BIRDS CAN BE DERIVED BY SUBTRACTING THE SUM OF FURTHER PROCESSED AND CUT-UP FROM POUNDS CERTIFIED.

2/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

3/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, 8Y REGIONS AND SELECTED STATES, APRIL 1967 AND 1968

REGION AND STATE	NUMBER		POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE :		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)	POST-MORTEM CONDEMNATIONS								
	INSPECTED			LIVEWEIGHT :			POUNDS (NYO)								
	1967	1968		1967	1968		1967	1968	PERCENT	2/					
-THOUSANDS-										-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	13,108	13,492	50,996	54,729	3,89	4.06	36,411	38,894	2,216	2,021	4.84	4.11			
E. N. CENTRAL	2,100	2,173	8,073	8,433	3.84	3.88	5,907	6,144	139	161	1.92	2.13			
W. N. CENTRAL	3,715	4,442	13,174	16,012	3.55	3.60	9,371	11,460	401	414	3.39	2.88			
S. ATLANTIC	76,123	79,529	269,872	285,249	3.55	3.59	192,290	202,941	11,124	11,680	4.59	4.56			
S. CENTRAL	82,508	87,610	279,316	301,637	3.39	3.44	200,323	215,540	8,812	8,885	3.51	3.28			
WEST	4,461	3,708	16,540	13,963	3.71	3.77	11,622	9,943	677	402	4.56	3.20			
U. S.	182,015	190,954	637,971	680,023	3.51	3.56	455,924	484,922	23,369	23,563	4.08	3.86			
MAINE	6,030	5,882	23,122	23,693	3.83	4.03	16,956	16,925	838	772	4.04	3.63			
PENNSYLVANIA	6,362	6,846	24,933	27,970	3.92	4.09	17,384	19,837	1,296	1,159	5.79	4.61			
OHIO	21	---	107	---	4.98	---	77	---	2	---	2.62	---			
INDIANA	865	828	3,192	2,955	3.69	3.57	2,359	2,138	55	63	1.93	2.37			
WISCONSIN	1,193	1,309	4,620	5,223	3.87	3.99	3,363	3,820	75	93	1.80	1.97			
MISSOURI	3,109	3,726	10,882	13,251	3.50	3.56	7,630	9,387	376	366	3.84	3.07			
DELAWARE	7,035	7,890	26,527	30,234	3.77	3.83	18,820	21,584	1,406	1,177	5.89	4.33			
MARYLAND	11,654	10,812	44,400	41,427	3.81	3.83	31,684	29,796	2,244	1,666	5.63	4.48			
VIRGINIA	3,779	6,145	12,193	19,729	3.23	3.21	8,380	13,390	380	852	3.47	4.81			
NORTH CAROLINA	19,073	21,063	67,746	76,592	3.55	3.64	48,576	55,188	2,145	2,327	3.53	3.38			
SOUTH CAROLINA	2,189	2,005	7,607	6,936	3.47	3.46	5,287	4,841	303	342	4.43	5.50			
GEORGIA	31,041	29,884	106,883	104,538	3.44	3.50	76,253	74,014	4,568	5,181	4.76	5.52			
TENNESSEE	4,990	5,181	17,015	17,658	3.41	3.41	12,041	12,774	631	426	4.14	2.68			
ALABAMA	20,985	21,729	73,401	76,703	3.50	3.53	53,126	54,811	2,043	2,385	3.10	3.46			
MISSISSIPPI	12,470	13,495	41,525	46,421	3.33	3.44	30,211	33,910	1,207	970	3.23	2.32			
ARKANSAS	26,288	28,572	86,327	95,384	3.28	3.34	61,020	67,394	3,112	3,071	4.01	3.58			
LOUISIANA	---	3,907	---	13,546	---	3.47	---	9,587	---	427	---	3.51			
TEXAS	11,460	12,508	39,349	43,943	3.43	3.51	28,405	31,371	1,113	1,379	3.15	3.49			
WASHINGTON	1,042	1,029	3,821	4,065	3.67	3.95	2,660	2,857	132	87	3.83	2.39			
CALIFORNIA	2,467	2,170	9,176	8,065	3.72	3.72	6,492	5,751	366	201	4.44	2.77			

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1968

REGION AND STATE	TUBER- : CULOSIS :	LEU- : KOSIS :	SEPTI- : CEMIA :	AIRSAC- : CULITIS :	SYNO- : VITIS :	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- : INATION :	OVER- : SCALD :	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	290,570	101,223	92,775	6,562	1,523	2,570	9,248	16,323	856	12,944	534,594
E. N. CENTRAL	---	14,387	15,170	6,714	384	261	1,180	1,405	2,800	497	288	43,086
W. N. CENTRAL	---	32,843	23,635	48,103	2,547	258	2,177	3,630	4,986	1,433	5,174	124,786
S. ATLANTIC	---	2,157,315	422,523	457,673	27,495	6,434	28,753	65,137	145,524	11,224	92,510	3,414,588
S. CENTRAL	---	947,291	532,051	565,257	73,236	8,775	32,283	80,530	132,812	13,095	72,404	2,457,734
WEST	---	36,752	13,027	21,410	1,575	242	982	2,308	3,756	1,476	6,879	88,407
U. S.	---	3,479,158	1,107,629	1,191,932	111,799	17,493	67,945	162,258	306,201	28,581	190,199	6,663,195
MAINE	---	105,219	50,515	13,592	1,585	477	1,129	4,719	6,061	584	3,885	187,766
PENNSYLVANIA	---	175,994	43,360	77,714	4,795	821	1,187	3,987	8,798	218	8,026	324,900
INDIANA	---	10,699	4,520	2,756	178	72	555	288	1,201	420	60	20,749
WISCONSIN	---	3,557	10,273	3,905	201	130	620	1,100	1,544	77	193	21,600
MISSOURI	---	30,379	20,898	46,297	2,474	163	1,763	3,516	3,445	1,333	2,609	112,877
DELAWARE	---	236,675	33,148	41,584	2,793	499	1,530	6,879	10,060	577	10,398	344,143
MARYLAND	---	335,154	57,315	61,154	3,112	945	1,899	5,854	11,366	2,537	2,632	481,568
VIRGINIA	---	175,072	34,364	59,869	2,116	323	1,374	5,863	4,658	785	9,080	293,504
NORTH CAROLINA	---	232,347	124,516	131,482	8,969	1,910	10,146	18,075	47,368	3,193	34,407	612,813
SOUTH CAROLINA	---	74,772	10,567	16,705	316	172	1,065	3,245	3,356	292	773	111,263
GEORGIA	---	1,079,738	155,206	143,043	9,126	2,539	12,452	23,780	67,780	3,704	33,780	1,531,148
TENNESSEE	---	42,998	23,510	17,334	1,622	375	1,757	4,717	10,801	832	9,156	113,102
ALABAMA	---	307,172	124,058	97,129	8,692	2,720	6,431	13,332	49,239	4,039	17,171	622,983
MISSISSIPPI	---	87,333	29,318	69,034	4,391	1,405	4,654	9,189	11,622	577	14,731	232,254
ARKANSAS	---	334,461	203,538	240,852	25,608	2,175	8,959	31,941	36,409	4,684	13,263	901,890
LOUISIANA	---	34,724	47,885	21,004	8,268	393	2,319	4,543	5,937	340	3,633	129,046
TEXAS	---	122,119	90,556	92,284	24,089	1,537	6,500	14,421	13,432	2,494	13,450	380,882
WASHINGTON	---	3,083	3,642	4,231	489	109	350	1,009	764	80	3,932	17,689
CALIFORNIA	---	19,993	7,107	16,035	1,080	110	309	1,140	1,777	1,374	2,882	51,807

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, 8Y REGIONS AND SELECTED STATES, APRIL 1967 AND 1968

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED		INSPECTED		LIVEWEIGHT		CERTIFIED			
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	1,900	1,560	9,356	7,776	4.92	4.98	6,182	5,153	319	272
E. N. CENTRAL	1,588	1,451	6,829	6,302	4.30	4.34	4,451	4,087	227	298
W. N. CENTRAL	2,578	2,905	11,759	12,285	4.56	4.23	7,845	7,927	426	580
S. ATLANTIC	3,808	3,567	18,901	17,150	4.96	4.81	12,361	11,049	622	619
S. CENTRAL	2,824	2,235	13,771	11,214	4.88	5.02	9,109	7,542	550	444
WEST	1,675	2,086	6,942	8,561	4.14	4.11	4,238	5,285	406	387
U. S.	14,373	13,804	67,558	63,288	4.70	4.58	44,186	41,043	2,550	2,600
MAINE	490	317	2,960	2,022	6.04	6.37	2,092	1,443	69	60
NEW JERSEY	1,006	807	4,216	3,350	4.19	4.15	2,593	2,055	191	153
PENNSYLVANIA	162	133	924	814	5.71	6.12	603	552	32	22
OHIO	424	383	1,760	1,628	4.15	4.25	1,154	1,038	57	63
INDIANA	556	399	2,395	1,600	4.31	4.01	1,564	1,058	62	73
ILLINOIS	446	440	1,807	1,739	4.06	3.95	1,149	1,106	85	111
MINNESOTA	924	973	3,727	3,597	4.03	3.70	2,373	2,286	163	184
MISSOURI	815	894	4,741	4,759	5.82	5.32	3,283	3,188	141	208
DELAWARE	50	60	387	475	7.76	7.95	270	337	5	10
MARYLAND	710	592	2,933	2,451	4.13	4.14	1,918	1,536	107	93
VIRGINIA	350	140	2,076	884	5.94	6.33	1,460	623	45	23
NORTH CAROLINA	551	490	3,534	3,417	6.41	6.98	2,320	2,313	109	104
GEORGIA	1,074	1,141	5,655	5,369	5.26	4.71	3,774	3,464	155	160
FLORIDA	543	---	2,218	---	4.09	---	1,309	---	103	---
ALABAMA	51	56	399	425	7.87	7.65	287	306	17	15
MISSISSIPPI	1,317	1,317	6,242	5,640	4.20	4.28	4,106	3,738	243	223
ARKANSAS	311	239	2,311	1,802	7.43	7.53	1,620	1,288	82	64
LOUISIANA	36	---	---	282	---	7.84	---	193	---	14
OKLAHOMA	---	104	---	522	---	5.03	---	348	---	16
TEXAS	596	401	2,670	2,020	4.48	5.03	1,683	1,316	127	94
WASHINGTON	82	160	337	650	4.13	4.07	211	418	16	36
CALIFORNIA	1,458	1,883	6,061	7,735	4.16	4.11	3,680	4,752	374	349

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1968

REGION AND STATE	TUBER- : :CULOSIS:		LEU- : :KOSIS :		SEPTI- : :CEMIA :		AIRSAC- : :CULITIS :		SYNO- : :VITIS :		TUMORS : :NO.		BRUISES : :NO.		CADAVER : :NO.		CONTAM- : :INATION:		OVER- : :SCALD :		OTHER : :NO.		TOTAL NO.	
	NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.	
N. ATLANTIC	---		2,651		27,505		30		1,170		14,680		1,023		1,591		3,411		180		11,423		63,664	
E. N. CENTRAL	418		3,660		22,038		220		118		26,874		1,709		1,045		4,953		91		12,019		73,145	
W. N. CENTRAL	2,318		5,987		44,654		1,275		236		44,544		15,238		2,005		12,350		285		19,718		148,610	
S. ATLANTIC	97		6,433		53,674		344		1,255		29,850		4,716		7,118		18,311		407		13,611		135,816	
S. CENTRAL	---		8,760		29,222		238		1,100		20,334		2,879		3,013		6,442		380		18,694		91,062	
WEST	---		2,709		43,295		290		84		44,353		2,201		3,133		5,362		621		5,362		107,410	
U. S.	2,833		30,200		220,388		2,397		3,963		180,635		27,766		17,905		50,829		1,964		80,827		619,707	
MAINE	---		508		5,366		12		271		1,049		149		275		776		23		466		9,295	
NEW JERSEY	---		1,026		17,725		13		73		9,964		657		1,130		2,026		40		10,016		42,670	
PENNSYLVANIA	---		320		2,072		2		49		1,196		144		92		398		2		255		4,530	
OHIO	30		1,201		2,738		6		22		4,308		1,011		276		1,305		44		4,023		14,964	
INDIANA	9		1,060		8,786		1		83		6,740		287		144		1,180		1		719		19,010	
ILLINOIS	170		886		5,078		173		8		13,005		151		457		569		35		5,647		26,179	
MINNESOTA	1,217		1,128		10,636		163		41		15,961		2,326		968		4,440		217		14,850		51,947	
MISSOURI	282		1,851		22,601		86		146		8,076		8,655		837		2,045		37		453		45,069	
DELAWARE	---		292		675		37		4		140		22		51		62		---		29		1,312	
MARYLAND	97		1,157		9,883		14		190		4,705		1,008		1,464		1,640		6		346		20,510	
VIRGINIA	---		659		2,352		20		85		582		130		72		218		3		24		4,145	
NORTH CAROLINA	---		961		5,407		170		612		2,660		944		256		1,910		44		1,587		14,551	
GEORGIA	---		1,205		12,633		80		242		9,477		840		785		4,643		54		7,024		36,983	
ALABAMA	---		220		985		13		25		118		14		55		395		---		181		2,006	
MISSISSIPPI	---		663		14,401		27		781		17,435		2,126		1,685		3,675		211		12,168		53,172	
ARKANSAS	---		874		4,401		89		95		278		417		258		649		95		403		7,559	
LOUISIANA	---		102		627		4		49		65		41		33		156		---		551		1,628	
OKLAHOMA	---		254		1,540		7		16		1,729		35		7		117		1		45		3,751	
TEXAS	---		6,526		6,345		85		125		556		200		942		992		73		4,815		20,659	
WASHINGTON	---		1,449		2,563		---		2		433		302		378		852		21		1,452		7,452	
CALIFORNIA	---		1,125		40,380		289		81		43,788		1,835		2,713		4,426		581		3,910		99,128	

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE LIVEWEIGHT INSPECTED/100 (READY-TO-COOK WT.)	TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS		
					POUNDS (NYD)	PERCENT 2/	PERCENT 2/
	1967	1968	1967	1968	1967	1968	1967
	-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-	-PERCENT-
N. ATLANTIC	42	54	1,218	15.38	22.56	488	19
E. N. CENTRAL	22	30	586	18.41	19.62	312	12
W. N. CENTRAL	103	137	2,719	14.57	19.83	1,168	120
S. ATLANTIC	454	622	11,017	17.23	17.72	6,199	215
S. CENTRAL	217	282	6,436	19.65	22.85	3,349	135
WEST	302	214	3,342	17.40	15.60	4,152	35
U. S.	1,140	1,339	25,318	17.45	18.90	15,668	536
PENNSYLVANIA	35	50	1,100	15.68	22.18	420	18
OHIO	11	9	191	16.46	20.19	136	5
WISCONSIN	9	16	302	19.06	18.76	139	6
MINNESOTA	67	63	1,011	13.23	16.05	696	23
IOWA	36	70	1,623	16.77	23.11	465	96
MISSOURI	---	3	71	---	20.51	---	3
VIRGINIA	175	196	3,952	21.04	20.16	2,883	103
NORTH CAROLINA	251	367	6,045	15.29	16.46	3,086	96
TEXAS	173	259	5,888	20.69	22.77	2,814	123
CALIFORNIA	300	188	3,009	17.44	15.96	4,134	32

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1968

REGION AND STATE	: TUBER- : : CULOSIS :		: LEU- : : KOSIS :		: SEPTI- : : CEMIA :		: AIRSAC- : : CULITIS :		: SYNO- : : VITIS :		: TUMORS : : NO. :		: BRUISES : : NO. :		: CADAVER : : NO. :		: INATION : : NO. :		: OVER- : : SCALD :		: OTHER : : NO. :		: TOTAL : NO. :	
	NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.		NO.	
N. ATLANTIC	---		30		312		107		73		---		16		5		49		---		13		605	
E. N. CENTRAL	---		16		177		115		10		2		9		15		22		3		10		379	
W. N. CENTRAL	---		20		3,853		771		15		1		54		105		244		31		13		5,107	
S. ATLANTIC	---		57		3,933		4,651		1,146		54		112,797		200		608		16		349		123,811	
S. CENTRAL	---		40		1,733		1,431		1,407		129		69		60		133		---		389		5,391	
WEST	---		130		1,008		71		95		35		36		91		108		7		22		1,603	
U. S.	---		293		11,016		7,146		2,746		221		112,981		476		1,164		57		796		136,896	
PENNSYLVANIA	---		8		297		107		73		---		15		5		38		---		3		546	
OHIO	---		---		53		73		2		1		7		11		4		---		8		159	
WISCONSIN	---		12		80		41		4		1		2		1		16		3		---		160	
MINNESOTA	---		---		871		256		2		---		3		30		98		4		7		1,271	
IOWA	---		20		2,897		503		10		1		45		75		143		26		4		3,724	
MISSOURI	---		---		84		10		3		---		6		---		3		1		---		107	
VIRGINIA	---		32		1,588		2,978		181		1		112,698		20		93		13		5		117,609	
NORTH CAROLINA	---		18		2,072		1,512		956		22		70		173		384		3		320		5,530	
TEXAS	---		35		1,450		1,343		1,404		128		68		57		113		---		379		4,977	
CALIFORNIA	---		130		964		65		92		35		22		84		90		6		22		1,510	

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE LIVEWEIGHT INSPECTED 1/	TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)	POST-MORTEM CONDEMNATIONS POUNDS (NYD)	PERCENT 2/ 1967 : 1968 : 1967 : 1968
	-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	9	93	102	73	79	---
E. N. CENTRAL	183	1,650	718	1,245	545	0.65
W. N. CENTRAL	460	4,295	2,266	3,401	1,785	1.42
S. ATLANTIC	190	1,602	1,395	1,202	41	1.53
S. CENTRAL	31	259	205	195	25	2.85
WEST	271	2,243	1,668	1,732	3	1.20
					23	1.73
U. S.	1,144	10,142	6,354	7,848	159	1.74
WISCONSIN	75	670	615	528	6	1.08
MINNESOTA	424	3,999	2,190	3,177	54	2.25
VIRGINIA	169	1,424	1,317	1,066	35	1.50
TEXAS	31	259	---	195	23	2.77
CALIFORNIA	266	2,206	1,482	1,702	3	1.20
					22	1.74

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1968

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER- INAIION	CONTAM- SCALD	OVER- OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	2	17	12	---	---	2	3	4	---	40
E. N. CENTRAL	---	38	805	414	7	75	343	65	178	2	2,140
W. N. CENTRAL	---	1	1,777	189	2	1	19	146	493	7	2,656
S. ATLANTIC	---	1	1,009	1,373	5	---	23	21	116	2	2,564
S. CENTRAL	---	---	27	8	---	6	4	2	115	21	189
WEST	---	58	1,465	202	287	1,390	100	60	162	2	3,759
U. S.	---	100	5,100	2,198	301	1,472	491	297	1,068	34	11,348
WISCONSIN	---	---	682	414	7	---	89	31	99	---	1,324
MINNESOTA	---	---	1,719	169	2	---	19	142	481	7	2,560
VIRGINIA	---	---	986	1,370	4	---	22	21	107	2	2,516
CALIFORNIA	---	58	1,427	183	287	1,390	90	43	135	1	3,638

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVWEIGHT)	AVERAGE LIVWEIGHT INSPECTED ^{1/}	TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)	POST-MORTEM CONDEMNATIONS	PERCENT	
						1967	1968
	1967	1968	1967	1968	1967	1968	1967
	-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-	
N. ATLANTIC	1	16	19.09	13	1	2.29	---
E. N. CENTRAL	12	242	20.17	194	167	8	4.31
W. N. CENTRAL	40	772	19.30	588	371	17	4.32
S. ATLANTIC	16	323	20.19	254	157	12	3.99
S. CENTRAL	9	189	21.00	146	100	5	4.74
WEST	33	655	19.85	508	212	12	6.46
U. S.	111	2,197	19.79	1,703	1,006	87	4.41
MINNESOTA	23	460	20.37	365	268	10	5.41
NORTH CAROLINA ^{3/}	16	323	19.88	254	---	---	---
TEXAS	5	111	21.39	87	---	---	---
CALIFORNIA	27	534	19.80	419	---	---	---

^{1/} AVERAGE WEIGHT BASED ON UNROUNDED DATA.

^{2/} POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

^{3/} DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

^{4/} DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1968

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER	INMATION	CONTAM-		OVER- SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	8	69	108	6	---	10	2	33	2	12	2	12	250
W. N. CENTRAL	---	10	582	103	1	8	13	21	41	2	3	2	3	784
S. ATLANTIC	---	3	81	47	8	1	1	2	13	1	127	1	127	284
S. CENTRAL	---	3	107	116	1	2	---	---	2	---	33	---	33	264
WEST	---	10	410	18	48	1	32	2	11	1	2	1	2	535
U. S.	---	34	1,249	392	64	12	56	27	100	6	177	6	177	2,117
MINNESOTA	---	9	382	90	---	---	13	15	37	2	1	2	1	549

OFFICIAL BUSINESS

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.